MENDED

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office	OCT 1 7 1989	
Returned to applicant for correction		
Map filed	MAR 2 2 1990	
=		=
11		si-minicipal corporation
3700 W. Charleston Boulevard Street and No. or P.O. Box No.	, of	City or Town
Nevada 89153 State and Zip Code No.	, hereby make applic	cation for permission to appropriate the public
waters of the State of Nevada, as hereinafter stat	ted. (If applicant is a corpor	ation, give date and place of incorporation; if a
copartnership or association, give names of me		
1. The source of the proposed appropriation	is. underground basin	in Railroad Valley (North),
		s 448.83 gals. per min. second-feet
3. The water to be used forIrriga	municipal and dom ation, power, mining, manufacturing, o	estic lomestic, or other use. Must limit to one use.
4. If use is for:		
(a) Irrigation, state number of acres to be	irrigated	
(b) Stockwater, state number and kinds of	animals to be watered	
(c) Other use (describe fully under "No. 1	12. Remarks'')	
(d) Power:		
(1) Horsepower developed		
(2) Point of return of water to stream		
5. The water is to be diverted from its source 13, T.6N., R.56E., M.D.B.& M., which the southwest corner of survey, and by course and distance to a section corner. If or 39' 28" W., a distance of 19,2	n unsurveyed land, it should be so stat	Cated within the SE¼ NE¼ Section Describe as being within a 40-acre subdivision of public R.56E., M.D.B.& M., bears S. 13° ed.
		and White Pine Counties ed land, it should be so stated.
7. Use will begin about January 1 Month and Day	and end aboutDe	Cember 31 , of each year.
• • •	_	010 you may be required to submit plans and
173B-4A pump, pipelines, pumpi	ng stations, reserv	be diverted from a 20-inch which water is to be diverted, i.e. diversion structure, ditches and oirs, and distribution system.
9. Estimated cost of works \$700,0	OU (well and equipm	епт оптуј

	53966
10.	Estimated time required to construct works. Minimum 20 years If well completed, describe works.
11.	Estimated time required to complete the application of water to beneficial use Minimum 20 years
12.	Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.
	The water sought under this application shall be placed to a beneficial use
	within the Las Vegas Valley Water District service area as set forth in Chapter 752, Statutes of Nevada 1989, or as may be amended. Water may also be served and beneficially used by lawful users within the Lincoln. Nye and White Pine Counties. Water will be commingled with other water rights owned or served by applicant, or it's designee. SEE ATTACHED LETTER DATED 3-22-90 s/Alan F. Walter By Alan F. Walter, P.E., N.S.W.R.S., No. 506
Co	3700 West Charleston Boulevard https://pm
Pro	tested
	OF STATE ENGINEER
The	amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to
exc	eedcubic feet per second
	rk must be prosecuted with reasonable diligence and be completed on or before
	of of completion of work shall be filed on or before
App	plication of water to beneficial use shall be made on or before
Рго	of of the application of water to beneficial use shall be filed on or before
Maj	p in support of proof of beneficial use shall be filed on or before
Com	pletion of work filed
Proc	of of beneficial use filed
	office, thisday of

A.D. 19.....

State Engineer

Cultural map filed.....

Certificate No.Issued.....

Hill Cassas deLipkau and Erwin

A PARTNER IN

SUITE 300 HOLCOMB PROFESSIONAL CENTER POST OFFICE BOX 2790 RENO, NEVADA 89505

Sherman & Howard

WITH OFFICES IN: ALBUQUEROUE COLORADO SPRINGS DENVER SANTA FE SOUTHEAST DENVER

TELEPHONE: 702 323-1601 TELECOPIER: 702 348-7250 TELEX: 6971967

March 22, 1990

Ms. Christine Thiel Division of Water Resources 201 South Fall Street Carson City, Nevada 89710

Re:

Las Vegas Valley Water District - Applications 53947 through 54092, Inclusive, and 54105 & 54106

Dear Ms. Thiel:

This will serve as a supplement to the above referred to applications to appropriate. Please attach a copy of this letter to each application, except 54037 and 54067, which were withdrawn.

- 1. Question 6, entitled "Place of Use", shall be supplemented as follows: Within Lincoln County, as defined in NRS 243.210-243.225, inclusive; within Nye County, as found in NRS 243.275-243.315, inclusive; within White Pine County, as found in NRS 243.365-243.385, inclusive; and within Clark County, as found within NRS 243.035-243.040, inclusive.
- 2. Question 12, entitled "Remarks". Pursuant to NRS 533.340(3), the approximate number of additional persons to be served is 800,000, which is in addition to the current approximately 618,000 persons. The applications seek groundwater in excess of 300,000 acrefeet, which represents all unappropriated groundwater in the particular groundwater basins and the Virgin River (Application 54077). The projected population of the service area in Clark County is estimated to be 1,400,000 at Year 2020. Population projects are currently being updated by Clark County Comprehensive Planning. The population to be served in Lincoln, White Pine and Nye Counties is not yet know, but is to be included within the applied for volume.

Very truly yours,

HILL CASSAS de LIPKAU and ERWIN

By Ross E. de Lipkau

REd/lbe